

Track UTMs in Cal.com


It's quite straightforward to track UTMs in Cal.com, but it does require some JavaScript knowledge. Now, let's get started.

Adding Hidden Fields to Your Form

Firstly, insert some hidden fields into your form under the "Advanced" section.










In this tutorial, we've included `utm_campaign`, `utm_source`, `utm_medium`, `traffic_source`, and `handl_url`. You can further expand this by using the names exactly as they appear from this link:

[Native WP Shortcodes](#)



Ensure the Fields Are Hidden

Make sure that the fields are hidden by toggling off, as depicted in the following image.

-  **Event Setup**
15 mins
-  **Availability**
Working Hours
-  **Limits**
How often you can be booked
-  **Advanced**
Calendar settings and more... 
-  **Recurring**
Set up a repeating schedule
-  **Apps**
0 apps, 0 active
-  **Workflows**
0 active
-  **Webhooks**
0 active

You can manage this for all your event types in Settings → [Appearance](#) or [Override](#) for this event only.

Booking questions

Customize the questions asked on the booking page

Your name Required			Edit
Name			
Email address Required			Edit
Email			
What is this meeting about? Hidden			Edit
Short Text			
Additional notes Hidden			Edit
Long Text			
Add guests Hidden			Edit
Multiple Emails			
Reason for reschedule Hidden			Edit
Long Text			
utm_campaign Hidden			Edit
Short Text			
utm_source Hidden			Edit
Short Text			
utm_medium Hidden			Edit
Short Text			
traffic_source Hidden			Edit
Short Text			
handl_url Hidden			Edit
Short Text			

+ Add a question

Alter the Embed Code

The original code appears as follows...

```
<!-- Cal inline embed code begins --><div style="width:100%;height:100%;overflow:scroll"
id="my-cal-inline"></div>
<script type="text/javascript"> (function (C, A, L) { let p = function (a, ar) {
a.q.push(ar); }); let d = C.document; C.Cal = C.Cal || function () { let cal = C.Cal; let ar =
arguments; if (!cal.loaded) { cal.ns = {}; cal.q = cal.q || [];
d.head.appendChild(d.createElement("script")).src = A; cal.loaded = true; } if (ar[0] === L)
```

```

{ const api = function () { p(api, arguments); }; const namespace = ar[1]; api.q = api.q ||
[]; typeof namespace === "string" ? (cal.ns[namespace] = api) && p(api, ar) : p(cal, ar);
return; } p(cal, ar); }; })(window, "https://app.cal.com/embed/embed.js", "init");Cal("init",
"15min", {origin:"https://cal.com"});

  Cal.ns["15min"]("inline", {
    elementOrSelector: "#my-cal-inline",
    calLink: "haktansuren/15min",
    layout: "month_view"
  });

  Cal.ns["15min"]("ui",
{"styles":{"branding":{"brandColor":"#000000"},"hideEventTypeDetails":false,"layout":"month_vi
</script>

<!-- Cal inline embed code ends -->

```

We will revise it as follows: There was no configuration object in the JavaScript; we have now added it.

```

config: {
  "utm-campaign": Cookies.get("utm_campaign"),
  "utm-medium": Cookies.get("utm_medium"),
  "utm-source": Cookies.get("utm_source"),
  "traffic-source": Cookies.get("traffic_source"),
  "handl-url": Cookies.get("handl_url")
}

```

Insert it right after the layout line. So, the final code will look like this:

```

<!-- Cal inline embed code begins --><div style="width:100%;height:100%;overflow:scroll"
id="my-cal-inline"></div>
<script type="text/javascript">(function (C, A, L) { let p = function (a, ar) { a.q.push(ar);
}; let d = C.document; C.Cal = C.Cal || function () { let cal = C.Cal; let ar = arguments; if
(!cal.loaded) { cal.ns = {}; cal.q = cal.q || [];
d.head.appendChild(d.createElement("script")).src = A; cal.loaded = true; } if (ar[0] === L)
{ const api = function () { p(api, arguments); }; const namespace = ar[1]; api.q = api.q ||
[]; typeof namespace === "string" ? (cal.ns[namespace] = api) && p(api, ar) : p(cal, ar);
return; } p(cal, ar); }; })(window, "https://app.cal.com/embed/embed.js", "init");Cal("init",
"15min", {origin:"https://cal.com"});
Cal.ns["15min"]("inline", {
  elementOrSelector: "#my-cal-inline",

```

```

calLink: "haktansuren/15min",
layout: "month_view",
config: {
  "utm-campaign": Cookies.get("utm_campaign"),
  "utm-medium": Cookies.get("utm_medium"),
    "utm-source": Cookies.get("utm_source"),      "traffic-source":
Cookies.get("traffic_source"),
    "handl-url": Cookies.get("handl_url")
  }
});
Cal.ns["15min"]("ui",
{"styles":{"branding":{"brandColor":"#000000"},"hideEventTypeDetails":false,"layout":"month_vi
</script>
<!-- Cal inline embed code ends -->

```

After that, test it and voila! You will have all the UTMs in your booking as shown below.



This meeting is scheduled

We sent an email with a calendar invitation with the details to everyone.

What	15 Min Meeting between Haktan and haktansuren
When	Tuesday, January 23, 2024 9:45 AM - 10:00 AM (Central Standard Time)
Who	Haktan Host haktan@handldigital.com haktansuren haktan@handldigital.com
Where	Cal Video ↗

handl_url
<https://handl-sandbox/blog/2024/01/22/cal-com/>

utm_medium
cpc

utm_source
Google

utm_campaign
SpringSale

traffic_source
Paid

Need to make a change? [Reschedule](#) or [Cancel](#)

Add to calendar



Revision #2

Created Mon, Jan 22, 2024 11:20 PM by [Leman](#)

Updated Mon, Jan 22, 2024 11:28 PM by [Leman](#)