

GRAVITY Forms

Integration

HandL UTM Grabber / Tracker Gravity Forms Integration step by step

- [Gravity Forms to Zapier SIMPLE Integration Video Tutorial](#)
- [Gravity Forms to Zapier Integration Video Tutorial](#)
- [Gravity Forms Integration](#)
- [Gravity Form to Facebook Conversion API \(FB CAPI\) - v3.1](#)

Gravity Forms to Zapier SIMPLE Integration Video Tutorial

*Please watch the related Video Tutorial
below*

and click right to the video and open link in new tab



Gravity Forms to Zapier Integration Video Tutorial

*Please watch the related Video Tutorial
below*

and click right to the video and open link in new tab



Gravity Forms Integration

1. Click Forms and 'Add New' Button

[1- Click New Form.png](#)

Image not found or type unknown

2. Write Your Form Title and Description as you wish

Then Click 'Create Form' Button

[2- Write your form title and description as you wish.png](#)

Image not found or type unknown

3. First Add your 'Hidden' Element on your form

Click the 'Hidden' Button on the menu right

[3- Click Hidden Field.png](#)

Image not found or type unknown

4. Click Hidden Field

[4- First add your hidden element on your form, give any name for your label.png](#)

Image not found or type unknown

5. Give any name for your label

5- give any name for your label.png

Image not found or type unknown

6. Click “Advanced” tab and check “Allow field to be populated dynamically” and use the shortcode in “Parameter Name”

6- Click “Advanced” tab and check “Allow field to be populated dynamically” and use the shortcode

Image not found or type unknown

7. Click Update Button

7- Click update button.png

Image not found or type unknown

8. Preview of Your Form


8- Previews of your form.png

Image not found or type unknown

Here we only illustrated `utm_campaign`. However you can use all the other parameters very similar way. See the list of all the parameters available here [Native WP Shortcodes](#)

Gravity Form to Facebook Conversion API (FB CAPI) - v3.1

Click the Facebook CAPI menu in UTM and enter the Facebook pixel ID and access token



The screenshot shows the 'HandL UTM Grabber' interface with the 'Facebook CAPI' tab selected. The 'FB Pixel ID' field contains the value '122345640235768'. The 'FB Access Token' field contains a long alphanumeric string: 'EAAo7kmrsTXgBAMCVjGYnGoZC7CUFuFYasdasdHzfDySZAYMxJMuGDZB asdasdkXasdasdApYJUsm3QHISXZA9YSjiTRNqeVaHQzK3ISutxdHgKxZ CkcztOF8l12YUymasdasdEkc8LPJVmQvpOxzbJE6agkfZAZA9CEhC 0ZD'. A 'Save Changes' button is located at the bottom left of the form.

How to generate an Access Token: Go to your pixel, click "Settings," scroll down to the Conversion API section, and click "Generate Access Token."

HandL UTM Grabber Ads Acc's Pixel

Overview Test Events Diagnostics History **Settings**

Use information your customers have provided to your business, like email address or phone number, to match your website's visitors to people on Facebook. This can help you attribute more conversions to your Facebook ads and reach more people through remarketing campaigns. [Learn More](#)

▼ [Show Options](#)

Event Setup

View the events currently setup. To add or edit events directly without changing your website code, use the Event Setup Tool.

[Open Event Setup Tool](#)

Track Events Automatically Without Code

OFF

Your Facebook Pixel can find and report on valuable website events, such as purchases or registrations, based on your site traffic, button text and page metadata. This feature can help you set up events without having to install code. You can choose to turn this functionality on or off. [Learn More](#).

Conversions API

Send web events directly from your server. [Learn More](#)

Set up manually

You can set up the Conversions API by following our step-by-step guide.

[Get Started](#)

[Generate access token](#)

Set up through a partner integration

Easily connect your web activity through a partner integration - no coding required. Choose from Wordpress, Tealium, Segment and more.

[Choose a Partner](#)

Traffic Permissions

Use a block list or an allow list to control if domains are allowed to send Facebook events through your pixel. We suggest using an allow list because it helps ensure that your pixel isn't used to send events through domains you haven't authorized. [Learn More](#)

Allow list: Only domains added to the allow list can send events to Facebook through this pixel. Domains not on the allow list will be blocked from sending events.

Block list: Only domains added to the block list will be blocked from sending events to Facebook through this pixel. Domains not on the block list will be allowed to send events.

Once you have set everything up, keep monitoring your events and watch your event match

increases to the high 8-9s.

 Lead ● Active	Browser • Server	8.0/10	13.3K Last received 42 minutes ago
 Initiate Checkout ● Active	Browser • Server	8.5/10	1.7K Last received 56 minutes ago
 Purchase ● Active	Browser • Server	9.0/10	1K Last received 1 hour ago

When you are ready, enable the feature by checking the "Enable Facebook Conversion API (CAPI)" functionality.

HandL UTM Grabber

- HandL Options
- Custom Fields
- GDPR
- Gravity Forms
- Predefined Variables
- WooCommerce Postback
- Facebook CAPI**

Support Coverage/Disclaimer

Currently only WooCommerce is supported for FB CAPI. [Check here](#) for details

Enable Facebook CAPI Enable Facebook Conversion API (CAPI) functionality

FB Pixel ID

FB Access Token

After that, as soon as one of your forms is submitted, the Lead event will be sent to Facebook as well.

You can check the events in the Facebook Conversion API Logs after they are sent. If there is any failure, it will be reported there, detailing what went wrong.

HandL UTM Grabber

- HandL Options
- Custom Fields
- GDPR
- Gravity Forms
- Predefined Variables
- WooCommerce Postback
- Facebook CAPI**

Support Coverage/Disclaimer

Currently only WooCommerce is supported for FB CAPI. [Check here](#) for details

Enable Facebook CAPI

Enable Facebook Conversion API (CAPI) functionality

FB Pixel ID

3934216015206782

FB Access Token

EAA80sT881z8B05knMZAW3K4IXNBqVQ49EDA0ubZB9C0DmZCGZA8qkzD0v0R94ZBEh7JwQib2chjUeSKDI0ldzv2AK95B6QJrJKZ84Qe9HMJUH96bhrRef7w07ypAdvUgeasYVvG167Mfm3B03wWjcwZDZD

Save Changes

Facebook Conversion API Logs (Last 100)

Timestamp	Event Name	Status	Error	Details
2024-09-16 02:37:37	Lead	✓ Success	N/A	Hide Details Payload: <pre>{ "event_name": "Lead", "user_data": { "em": ["sidsa@ssdad.com"], "pb": [], "ep": "ssad", "tp": "" }, "fbct": "fb.1.1723844686636_fb.1.1554763741285_AbCtEFGHJKlMnOpQrStUvWxYz1234567890", "fbgr": "fb.1.1721637964771.1218381298", "client_ip_address": "121", "client_user_agent": "Mozilla/5.0 (Macintosh; Intel Mac OS X 10_15_7) AppleWebKit/537.36 (KHTML, like Gecko)"}</pre>
2024-09-16 02:36:09	Lead	✗ Failed	Invalid parameter (The browser ID (_fbp) parameter is not formatted correctly. See the browser ID parameter field for guidelines on formatting this parameter.)	Show Details
2024-09-16 02:34:21	Lead	✓ Success	N/A	Show Details
2024-09-16 02:18:34	Lead	✓ Success	N/A	Show Details
2024-09-16 00:42:05	Lead	✓ Success	N/A	Show Details
2024-09-16 00:40:28	Lead	✓ Success	N/A	Show Details