

Passing UTM Variables to New Registration Admin Email Template

1-) Go to Ultimate Member > Settings > Email > New User Notification > Click the settings cog

The screenshot shows the 'Ultimate Member - Settings' interface with the 'Email' tab selected. The left sidebar contains navigation links: Dashboard, Posts, Media, Pages, Comments, Ultimate Member, Settings, Forms, User Roles, Member Directories, Extensions, Appearance, Plugins (2), Users, Tools, Settings, UTM, SendGrid SMTP, and Collapse menu. The main content area displays a table of email notifications. The 'New User Notification' row is highlighted with a red arrow pointing to its settings cog icon. The table has columns for 'Email', 'Recipient(s)', and a settings cog icon.

Email	Recipient(s)	
✓ Account Welcome Email ?	Member	⚙️
✗ Account Activation Email ?	Member	⚙️
✗ Your account is pending review ?	Member	⚙️
✗ Account Approved Email ?	Member	⚙️
✗ Account Rejected Email ?	Member	⚙️
✓ Account Deactivated Email ?	Member	⚙️
✓ Account Deleted Email ?	Member	⚙️
✓ Password Reset Email ?	Member	⚙️
✓ Password Changed Email ?	Member	⚙️
✓ Account Updated Email ?	Member	⚙️
✓ New User Notification ?	bilgi@websitelerimiz.com	⚙️
✗ Account Needs Review Notification ?	bilgi@websitelerimiz.com	⚙️
✗ Account Deletion Notification ?	bilgi@websitelerimiz.com	⚙️

2-) Add the following short tags in the admin email template

Ultimate Member - Settings

General

Access

Email

Appearance

Misc

Install Info

New User Notification ?

☒

Subject Line ?

[[site_name]] New user account

Message Body ?

VisualText

b*link*b-quotedelinsimgutollicodemoreclose tags

just created an account on {site_name}.</div>

>To view their profile click here: {user_profile_link}</div>

>Here is the submitted registration form:

{submitted_registration}
<h2>HandL UTM Grabber Parameters</h2>
utm_source: {utm_source}

utm_medium: {utm_medium}

utm_term: {utm_term}

utm_content: {utm_content}

utm_campaign: {utm_campaign}

gclid: {gclid}

handl_original_ref: {handl_original_ref}

handl_landing_page: {handl_landing_page}

handl_ip: {handl_ip}

handl_ref: {handl_ref}

handl_url: {handl_url}

gaclientid: {gaclientid}

organic_source: {organic_source}

fbclid: {fbclid}

custom1: {custom1}
</div>
</div>
</div>
</div>

For default text for plain-text emails please see this [doc](#)

Code Snippet

```

<h2>HandL UTM Grabber Parameters</h2>

utm_source: {utm_source}<br>
utm_medium: {utm_medium}<br>
utm_term: {utm_term}<br>
utm_content: {utm_content}<br>
utm_campaign: {utm_campaign}<br>
gclid: {gclid}<br>
handl_original_ref: {handl_original_ref}<br>handl_landing_page: {handl_landing_page}<br>
handl_ip: {handl_ip}<br>
handl_ref: {handl_ref}<br>
handl_url: {handl_url}<br>
gaclientid: {gaclientid}<br>
organic_source: {organic_source}<br>
fbclid: {fbclid}<br>
custom1: {custom1}
custom2: {custom2}
custom3: {custom3}

```

...

Revision #3

Created Thu, Aug 20, 2020 5:11 AM by [Leman](#)

Updated Thu, Aug 20, 2020 5:20 AM by [Leman](#)