

# Adding a Custom Parameter

## Overview

The Custom Parameters feature allows you to track additional URL parameters beyond the standard UTM parameters that HandL UTM Grabber tracks by default. This feature is particularly useful when you need to capture custom campaign parameters or third-party tracking parameters that aren't part of the standard UTM set.


## Default Parameters

By default, HandL UTM Grabber tracks the following parameters here [Native WP Shortcodes](#)

# Adding Custom Parameters

## How to Access


- Navigate to your WordPress admin panel
- Go to HandL UTM Grabber settings
- Click on the "Custom Fields" tab



The screenshot shows the WordPress admin interface. On the left is a dark sidebar menu with options: Dashboard, Posts, Media, Pages, Comments, Appearance, Plugins, Users, Tools, Settings, UTM (highlighted in blue), and Collapse menu. The main content area is titled 'HandL UTM Grabber' and has three tabs: 'HandL Options', 'Custom Fields' (which is highlighted with a red rectangle), and 'WooCommerce Postback'. Under the 'Custom Fields' tab, there are four settings: 'Append UTM' with a checkbox and the text 'Append UTM variables to all the links automatically (BETA)'; 'Zapier Webhook URL' with an empty text input field; 'Cookie Duration' with a text input field containing '30' and the unit 'days'; and 'Enable GDPR' with a checkbox and the text 'Check if you'd like to be complaint with EU's GDPR.' At the bottom left of the settings area is a blue 'Save Changes' button.

# Configuration

1. Enter your custom parameter names one by one in the provided input fields
2. Each parameter should be entered without any special characters
3. Click "Save Changes" to store your custom parameters



The screenshot shows the WordPress dashboard with a sidebar on the left containing links to Dashboard, Posts, Media, Pages, Comments, Appearance, Plugins, Users, Tools, Settings, UTM (highlighted), and Collapse menu. The main content area is titled "HandL UTM Grabber" and features three tabs: "HandL Options", "Custom Fields", and "WooCommerce Postback". The "Custom Fields" tab is active, displaying two input fields. The first field is labeled "Custom Param 1" and contains the text "test". The second field is labeled "Custom Param 2" and contains the text "Parameter Name". Below these fields is a blue button labeled "Save Changes".

## Important Notes

All native UTM parameters (utm\_source, utm\_medium, etc.) and standard tracking parameters (fbclid, gclid) are already tracked by default. Only add parameters that aren't already included in the default tracking. Make sure to read the documentation before using this feature, as you may not need it for standard tracking scenarios.

## How It Works

When custom parameters are configured:

1. The plugin will automatically look for these parameters in:

- URL parameters
- Existing cookies
- Form submissions

2. The parameters are:

- Captured when present in URLs
- Stored in cookies for later use
- Available via shortcodes
- Passed along with form submissions

## Usage Examples

### Example URL with Custom Parameter

```
https://yourdomain.com/page?custom_param=value
```

### Using Custom Parameters in Shortcodes

```
[custom_param]
```

### Dynamic Content Example

```
[custom_param_i]Your custom parameter value is: %s[/custom_param_i]
```

## Technical Details

- Custom parameters are stored in WordPress options with the key 'custom\_params'
- Parameters are automatically filtered to remove empty values
- The plugin ensures parameters are properly sanitized before storage
- Cookies are set with appropriate security flags and domain settings
- Parameters are made available to JavaScript via wp\_localize\_script

# Best Practices

1. Only add parameters you specifically need to track
2. Use descriptive parameter names
3. Test parameters before deploying to production
4. Regularly review and clean up unused parameters
5. Consider GDPR implications when tracking custom parameters

## Limitations

- Parameter names should be URL-safe
- Values are stored as strings
- Cookie duration follows the global plugin settings
- Some parameters may be blocked by privacy settings or browsers

---

Revision #9

Created Mon, Aug 24, 2020 7:18 AM

Updated Wed, Nov 6, 2024 8:30 PM by [Leman](#)